# **TUTORIAL - D.C MOTORS PART 1**

## NAME:

Please note the following requirements in relation to tutorial work -

- All tutorial work is to be completed on ruled A4 pad paper, with multiple pages stapled together. Write on one side only of the answer sheets.
- All work is to be completed in ink.
- In the case of multiple choice type questions, the question number and answer letter are to be written on the answer sheet.
- All relevant equations and working are to be shown in the case of calculation type questions.
- All diagrams are to be drawn using appropriate drawing instruments. Drawings are not to be freehand.

#### Section A

In the following statements one of the suggested answers is best. Place the identifying letter on your answer sheet.

1. A DC motor converts \_\_\_\_\_energy to \_\_\_\_\_energy.

(a) electrical, mechanical

- (b) electrical, electrical
- (c) chemical, electrical
- (d) mechanical, electrical
- 2. To determine the forces acting on a current carrying conductor within a magnetic field, you would use:
  - (a) Flemming's right hand
  - (b) Lenz's law
  - (c) right hand conductor rule
  - (d) Flemming's left hand rule
- 3. The torque produced in a DC motor is \_\_\_\_\_ to the armature current and \_\_\_\_\_ to the main field flux.
  - (a) Inversely Proportional, proportional
  - (b) Proportional, proportional
  - (c) Inversely Proportional, Inversely proportional
  - (d) Proportional, Inversely proportional

- 4. An increase in the load applied to a DC motor will cause the motor speed to \_\_\_\_\_\_ and the motor torque to\_\_\_\_\_.
  - (a) Increase, increase
  - (b) Decrease, decrease
  - (c) decrease, increase
  - (d) Increase, decrease
- 5. Whilst driving a load, a \_\_\_\_\_\_ is generated in the armature conductors which \_\_\_\_\_\_ the applied motor voltage.
  - (a) Counter emf, opposes
  - (b) Counter emf, increases
  - (c) Mutual emf, opposes
  - (d) Mutual emf, increases

#### Section B:

Blank spaces in the following statements represent omissions. Write the appropriate information.

6. The force acting upon a current carrying conductor depends on the \_\_\_\_\_\_ of the magnetic field, the \_\_\_\_\_\_ flowing in the conductor and the \_\_\_\_\_\_ of the conductor within the magnetic field.

## Strength, current, direction

7. The torque developed within a DC motor is proportional to the \_\_\_\_\_\_acting on the conductor and the \_\_\_\_\_\_of the armature.

#### Magnetic flux, speed

- 8. If the load applied to a DC motor is decreased, the:
  - (a) speed will \_\_\_\_\_, increase
  - (b) the back emf will\_\_\_\_\_, decrease
  - (c) the armature current will \_\_\_\_\_ and decrease
  - (d) the torque developed by the motor will \_\_\_\_\_\_, decrease
- 9. The emf generated within the armature conductors\_\_\_\_\_\_the applied voltage, and is known as a\_\_\_\_\_.

## **Opposes**, back

- 10. The field system of a DC motor is mounted on the \_\_\_\_\_\_ and the current in the armature conductors is transferred from the supply via the \_\_\_\_\_\_ and \_\_\_\_\_. Frame, Commutator, brush
- 11. The current flowing in the armature conductors is dependent on the \_\_\_\_\_\_ generated within the armature conductors.

magnetisation

12. If the load applied to a DC motor is increased, the:

- (a) speed will <u>,decrease</u>
- (b) the back emf will\_\_\_\_\_, increase
- (c) the armature current will \_\_\_\_\_ and increase
- (d) the torque developed by the motor will \_\_\_\_\_\_.increase

13. Motor torque is produced when the main \_\_\_\_\_ reacts with the armature \_\_\_\_\_

## Flux , flux Section C:

#### SEE TEACHER SOLUTION

The following problems are to be solved with the aid of a calculator. Any working for a problem is to be fully shown. Where a problem involves calculating for circuit conditions, a neat and fully labelled circuit diagram (if not provided) is to accompany the question. Answers are to be expressed in the appropriate multiple or sub-multiple.

- 14. A 150mm long conductor carries a current of 40A at right angles to a magnetic field with a flux density of 0.5T. Determine the force acting on the conductor. (3N)
- 15. Determine the increase in flux density required in question 1 to increase the force acting on the conductor to 7N. (0.667T)
- 16. An armature has a radius of 125mm, and an effective conductor length of 150mm under the field pole. If the main flux is 0.4T and the armature current is 100A, determine
  - (a) the force acting on the conductor; (6N) and
  - (b) the torque developed on the conductor under the field poles. (0.75Nm)
- 17. An armature with a radius of 125mm is wound with 4 coils each of 100 turns. If the effective length of one half of a loop under the field poles is 200mm, the current in the conductors is 250A and the flux is 0.2T, determine the torque developed within the armature. (1000Nm)
- 18. A DC motor has a machine constant of 20, a main flux of 0.015Wb and runs at 750rpm. Determine the emf generated within the armature conductors. (225V)
- 19. If the motor in question 18 is connected to a 250V supply and has an armature circuit resistance of  $0.15\Omega$ , determine the amount of current flowing in the armature (167A)

20. The motor shown in figure 12 has a field flux of 0.0125Wb, runs at 250rpm, and has machine constant of 8. For these conditions, determine the:



Figure 12.

- (a) Back emf; (25V)
- (b) Armature current; (30A)
- (c) developed torque; (3Nm)
- (d) armature circuit voltage drop. (3V)